

2 Join

Work Order ID 157571

157571

Page 1

Friday, May 05, 2017 11:14:03 AM

Item ID: D119-796-021

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 5/30/2017 Req'd Qty: 1.00

1

Customer:

Reference: SCHEDULED/C

Approvals: Process Plan:  Date: MAY 05 2017

Tooling:

Date:

Run Start *NR1*

QC: _____ Date: _____

SPC (Y/N): _____

Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D119-796-021	A								
IIN-D119-796	E								

MAY 24 2017

100

Pick Kit

0.00

100

Packaging

Memo

0.02

MAY 24 2017

DAS

6

9.99

Packaging

Photocopy bluefile and create labels as per PPP D119-796-021 chg 003/ D119-646-041 paperwork

110

0.00

110

HandFinish

Memo

1.37

Hand Finishing

ASSEMBLE AS PER DWG AND NOTES 8,9,10,11

ASSEMBLE WITH PROSEAL BATCH: 136953

2-INSTALL DECAL D2729-4

DAS

36

9.99

1X

17/06/29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Work Order ID 157571

Friday, May 05, 2017 11:14:03 AM

157571

Page 2

Item ID: D119-796-021 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection
Start Date: 5/23/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 5/30/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference: SCHEDULED/C

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC5- Inspect part completeness to step on W/O	0.00							
120									DAS
QC	Memo	0.50							38
Quality Control									9-89
									JUN 29 2017
130	Identify as per dwg & Stock Location: _____	0.00							
130									
Packaging	Memo	0.25							
Packaging	Identify and pack for shipping as per PPP D119-796-021								
	Location: _____								
	PPP Rev: _____								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.10							
Quality Control									

17/6/29 JJ

JUN 29 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 1

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A NEW ISSUE 15-05-012 JLM VERIFIED BY:DD IPP
REV:B 15.08.25 AS PER IIN REV.E DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D119-646-041		Manufactured	No			100	Each	0.0000	2	2			DAS 36 9-89
D119-646-041						160984 (1X)		160981 (1X)	**			17/06/28	
AW119 Replacement Skidtube with Wearpads - Fits LH or RH													
D119-796-151		Manufactured	No			100	Each	0.0000	1	1			DAS 36 9-89
D119-796-151						157391 (1X)			**			17/06/28	
FWD Crosstube Installation with Step (no hardware)													
D119-796-251		Manufactured	No			100	Each	0.0000	1	1			DAS 36 9-89
D119-796-251						157384 (1X)			**			17/06/28	
AFT Crosstube Installation with Step (no hardware)													
D2652		Manufactured	No			100	Each	44.0000	48	48			DAS 36 9-89
D2652									**			MAY 24 2017	
Bushing													DAS 6 9-89
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						FG		44					
						31985		44		160461			
D3407-041		Manufactured	No			100	Each	30.0000	2	2			DAS 6 9-89
D3407-041									**			MAY 24 2017	
Tow Ring													
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						st530		30					
						157339		2					
						159443		28		2			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 2

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

D3417-5

Manufactured No

100

Each

98.0000

4

4

D3417-5

Washer

DAS

6

MAY 24 2017

9-89

Location

Loc Qty

Loc Code

ST034

38

156835

38

ST038A

60

158791

60

D3456-1

Manufactured No

100

Each

85.0000

2

2

D3456-1

Washer

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

FG

7

25701

7

ST036

50

159500

50

ST36

28

157166

28

D3672-3

Manufactured No

100

Each

646.0000

48

48

D3672-3

Washer, Phenolic

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

FG

100

133083

52

134449

48

FP001

181

132639

181

ST047

365

153930

365

Friday, May 05, 2017 11:14:02 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 3

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

D3672-7

Manufactured No

100

Each

843.0000

48

48

D3672-7

Washer, Phenolic

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

FG

21

129987

6

133986

15

ST047

322

153039

322

ST051A

500

157442

500

48

D3883-1

Manufactured No

100

Each

7.0000

2

2

D3883-1

Saddle, Outboard LH

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

ST404

7

153045

1

153815

6

1

1

D3883-2

Manufactured No

100

Each

12.0000

2

2

D3883-2

Saddle, Outside RH

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

ST404

12

157024

4

157414

8

2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 4

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

D3884-1	Manufactured	No	100	Each	7.0000	2	2	
D3884-1								DAS
Saddle, Inside LH								6

MAY 7 1 2017 9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST404	7	
153739	3	
157342	4	

2

D3884-2	Manufactured	No	100	Each	6.0000	2	2	
D3884-2								DAS
Saddle, Inside RH								6

MAY 2 4 2017

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST404	6	
153801	2	
158339	4	

2

D3886-041	Manufactured	No	100	Each	27.0000	4	4	
D3886-041								DAS
Lug Assembly								6

MAY 2 4 2017 9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST228	1	
157001	1	
ST528	20	
153529	12	
157602	8	
ST532A	6	
156995	6	

1

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 5

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

AN3C46A

Purchased

No

100

Each

59.0000

8

8

AN3C46A

Bolt

**

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

FG

10

122843

10

ST346

49

m136055

15

m136181

34

AN3C50A

Purchased

No

100

Each

296.0000

16

16

AN3C50A

Bolt

**

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

OVER002

152

M137074

152

ST346

144

M136503

144

AN4C6A

Purchased

No

100

Each

268.0000

24

24

AN4C6A

Bolt

**

MAY 24 2017

DAS
6
9-89

Location

Loc Qty

Loc Code

FG

14

103344

4

121657

10

OVER002

150

m137026

100

m137333

50

ST345

104

m136318

104

Friday, May 05, 2017 11:14:02 AM

Shop Packet Print

Page 5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition																					
								Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																				
OTHER :																									

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 6

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

MS21043-3 Purchased No 100 Each 524.0000 24 24

MS21043-3

Nut

MAY 24 2017
DA
6
9-80

Location	Loc Qty	Loc Code
FG	80	
103691	80	
FP001	176	
m130673	11	
m136182	165	
GA	199	
m133990	27	
m136182	172	
ST304	69	
m131340	69	

13459

MS21043-4 Purchased No 100 Each 930.0000 26 26

MS21043-4

Nut

MAY 24 2017
DA
6
9-80

Location	Loc Qty	Loc Code
FG	40	
104603	40	
GA	7	
m132803	7	
ST302	883	
m136406	2	
m136983	281	
m137361	300	
m137371	300	

26

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 7

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

MS21043-5

Purchased

No

100

Each

187.0000

8

8

MS21043-5

Nut

DAS

6

9-88

MAY 24 2017

Location

Loc Qty

Loc Code

FG

20

101418

20

GA

71

116548

71

ST302

96

m137361

96

MS21250-05048

Purchased

No

100

Each

86.0000

8

8

MS21250-05048

Bolt (use MS21250-05-048)

DAS

6

9-88

MAY 24 2017

Location

Loc Qty

Loc Code

over006

70

m135948

70

ST295

16

m135841

16

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval			
Root Cause		FAULT CATEGORY									
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

Picklist Print

Friday, May 05, 2017 11:14:02 AM

Page 8

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149C0332R

Purchased

No

100

Each

4,178.000

24

24

NAS1149C0332R******

WASHER

LocationLoc QtyLoc Code

FP001

3086

m136741

46

m137178

40

m137381

3000

GA

518

m133284

22

m136444

496

ST260a

200

m135408

0

m135908

200

m136741

0

ST266

374

m136643

374

MAY 24 2017
DAS
6
9-89

NAS1149C0432R

Purchased

No

100

Each

902.0000

48

48

NAS1149C0432R******

WASHER

LocationLoc QtyLoc Code

GA

357

m134676

357

ST266

545

m136986

545

MAY 24 2017
DAS
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Page 9

Friday, May 05, 2017 11:14:02 AM

Work Order ID: 157571

157571

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 5/23/2017

Required Date: 5/30/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149C0532R

Purchased

No

100

Each

217.0000

16

16

NAS1149C0532R

WASHER

MAY 24 2017
DAS
36
9-88

Location

Loc Qty

Loc Code

FP001

84

m135390

8

m136983

76

GA

42

116513

42

ST266

91

m136192

91

139x89x35crate

Purchased

No

100

Each

0.0000

1

1

139x89x35crate

Agusta Crate

MS21920-28

Purchased

No

100

Each

74.0000

2

2

MS21920-28

Clamp

MAY 24 2017
DAS
36
9-88
17/06/27
DAS
36
9-88

Location

Loc Qty

Loc Code

FG

1

105884

1

LG050

55

M136579

5

M137075

25

M137361

25

LG051

1

M132169

1

LG057

2

M134130

2

st543

15

M136740

15

2

Friday, May 05, 2017 11:14:02 AM

Shop Packet Print

Page 9

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

ITEM	QTY	P/N	DESCRIPTION
	X	D119-796-021	STD GEAR WITH STD WEARPADS
1	2	D119-646-041	STD SKIDTUBE WITH STD WEARPADS
2	1	D119-796-151	XTUBE ASSY (AW119 MKII FWD)
3	1	D119-796-251	XTUBE ASSY (AW119 MKII AFT)
4	48	D2652	BUSHING
5	2	D3407-041	TOW RING
6	4	D3417-5	WASHER
7	2	D3456-1	WASHER
8	48	D3672-3	PHENOLIC WASHER
9	48	D3672-7	PHENOLIC WASHER
10	2	D3883-1	SADDLE, OUTBOARD LH
11	2	D3883-2	SADDLE, OUTBOARD RH
12	2	D3884-1	SADDLE, INBOARD LH
13	2	D3884-2	SADDLE, INBOARD RH
14	4	D3886-041	LUG ASSEMBLY
15	8	AN3C46A	BOLT
16	16	AN3C50A	BOLT
17	24	AN4C6A	BOLT
18	24	MS21043-3	NUT, SELF-LOCKING
19	26	MS21043-4	NUT, SELF-LOCKING
20	8	MS21043-5	NUT, SELF-LOCKING
21	8	MS21250-05048	BOLT
22	24	NAS1149C0332R	WASHER
23	48	NAS1149C0432R	WASHER
24	16	NAS1149C0532R	WASHER



RELEASED

2015 MAY 12

A.R. ECWIS-570

D119-796-021 STD GEAR WITH STD WEARPADS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 157571

MAY 05 2017

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: N/A
- 4) UNITS: N/A
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: INSTALL D2729-4 RED DECAL IN LOCATION SHOWN
- 7) WEIGHT: 122.7 LBS

APPROVED

A	NEW ISSUE	AP	15.04.01
REV.	DESCRIPTION	BY	DATE
DESIGN	AP		
DRAWN	AP		
CHECKED	AJS		
MFG. APPR.	DD		
APPROVED	HS		
DE APPR.	DS		
DATE	15.04.01		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D119-796-021** REV. A
SHEET 1 OF 4

TITLE **STD GEAR WITH STD WEARPADS** SCALE **NTS**

COPYRIGHT © 2014 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR DISCLOSED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

MS21250-05048 BOLT
NAS1149C0532R WASHER
D3672-7 WASHER
2 PL
10

D3883-1 SADDLE (LHS)
D3883-2 SADDLE (RHS)

AN3C50A BOLT
D3672-7 WASHER
D2652 BUSHING
4 PL
10

D3884-1 SADDLE (LHS)
D3884-2 SADDLE (RHS)

D3672-7 WASHER
NAS1149C0532R WASHER
MS21043-5 NUT
2 PL
10


D2652 BUSHING
D3672-7 WASHER
NAS1149C0532R WASHER
MS21043-3 NUT
4 PL
10

DETAIL A
4 PL



AN4C6A BOLT
NAS1149C0432R WASHER
D3672-3 WASHER (2)
NAS1149C0432R WASHER
MS21043-4 NUT
6 PL
9

D3883-1 SADDLE (LHS)
D3883-2 SADDLE (RHS)
REF



DETAIL A



RELEASED


2015 MAY 12
A.P. EN 15-570

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: N/A
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) APPLY A CONTINUOUS BEAD OF SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT IN THE LOCATIONS SHOWN INCLUDING THE FOLLOWING:
 - A) ALONG SADDLE/CROSSTUBE INTERFACE
 - B) BETWEEN THE SADDLE FLANGES
 - C) ALONG SADDLE/SKIDTUBE INTERFACE
- 9) LIGHTLY TIGHTEN ALL BOLTS IN THE NUMERICAL ORDER SPECIFIED ON SHEET 3, THEN TIGHTEN TO SPECIFIED TORQUE IN TABLE 1.
- 10) INSTALL WET WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 11) ALL NUTS TO BE INSTALLED ON THE INBOARD SIDE

APPROVED

DESIGN	AP	DART AEROSPACE LTD	
DRAWN	AP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 2 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



SUPPLEMENTAL VIEW - TORQUE SEQUENCE

TABLE 1: TORQUE SEQUENCE AND MAX TORQUE

TORQUE SEQUENCE	PART NUMBER	TORQUE
H1	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H2	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H3	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H4	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H5	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H6	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H7	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H8	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H9	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H10	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H11	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H12	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)


RELEASED

2015 MAY 12
A.P. EQW 15-570


APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



DETAIL C
2 PL



DETAIL B
4 PL

RELEASED

2015 MAY 12

A.R. Ecn 15-570

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: N/A
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) INSTALL WET WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 9) APPLY FAY SEAL AND FILLET SEAL USING SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 10) TORQUE AN3 HARDWARE TO 20-25 IN-LBS
- 11) TORQUE AN4 HARDWARE TO 50-70 IN-LBS

APPROVED

DESIGN	AP	DART AEROSPACE LTD	
DRAWN	AP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 4 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1


June 16

Work Order ID 157572

157572

Friday, May 05, 2017 11:18:27 AM

Item ID: D119-796-021 Accept *N900040100* Setup Start *NS1*
Revision ID:
Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection Stop *NS2*
Start Date: 6/12/2017 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 6/15/2017 Req'd Qty: 1.00 *1* Customer:
Reference: SCHEDULED/C

Approvals: Process Plan:  Date: MAY 05 2017 Run Start *NR1*
QC: Date: Tooling: Date: Stop *NR2*
SPC (Y/N): Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D119-796-021	A								
IIN-D119-796	E								

100

Pick Kit

0.00

100

Packaging

Memo

0.02

Packaging

Photocopy bluefile and create labels as per PPP D119-796-021 chg 003/ D119-646-041 paperwork

MAY 24 2017

DAS

6
9-89

110

0.00

110

HandFinish

Memo

1.37

Hand Finishing

ASSEMBLE AS PER DWG AND NOTES 8,9,10,11

ASSEMBLE WITH PROSEAL BATCH: 136953

2-INSTALL DECAL D2729-4

1X 17/06/28 DAS 36 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 157572

Friday, May 05, 2017 11:18:27 AM

157572

Page 2

Item ID: D119-796-021 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection
Start Date: 6/12/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 6/15/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference: SCHEDULED/C

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120	QC5- Inspect part completeness to step on W/O	0.00							
-----	---	------	--	--	--	--	--	--	--

120

QC

Memo

0.50

Quality Control

DAS
38
9-89
JUN 29 2017

130	Identify as per dwg & Stock Location: <i>ship</i>	0.00							
-----	---	------	--	--	--	--	--	--	--

130

Packaging

Memo

0.25

Packaging

Identify and pack for shipping as per PPP D119-796-021

Location: _____

PPP Rev: _____

DAS
36
9-89
17/6/29

140	QC21- Final Inspection - Work Order Release	0.00							
-----	---	------	--	--	--	--	--	--	--

140

QC

Memo

0.10

Quality Control

17/6/29

JUN 29 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition																					
15 2050-10-1								Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause				FAULT CATEGORY																					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			

Picklist Print

Friday, May 05, 2017 11:18:26 AM

Page 1

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A NEW ISSUE 15-05-012 JLM VERIFIED BY:DD IPP
REV:B 15.08.25 AS PER IIN REV.E DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D119-646-041		Manufactured	No			100	Each	0.0000	2	2			
D119-646-041						160983 (K) 160980 (K)			**			17/06/28	DAS 36 9-89
AW119 Replacement Skidtube with Wearpads - Fits LH or RH													
D119-796-151		Manufactured	No			100	Each	0.0000	1	1			
D119-796-151						B157392			**			17/06/28	DAS 36 9-89
FWD Crosstube Installation with Step (no hardware)													
D119-796-251		Manufactured	No			100	Each	0.0000	1	1			
D119-796-251						B157383			**			17/06/28	DAS 36 9-89
AFT Crosstube Installation with Step (no hardware)													
D2652		Manufactured	No			100	Each	44.0000	48	48			
D2652									**			MAY 24 2017	DAS 6 9-89
Bushing													
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						FG		44					
						31985		44		160401			
D3407-041		Manufactured	No			100	Each	30.0000	2	2			
D3407-041									**			MAY 24 2017	DAS 6 9-89
Tow Ring													
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						st530		30					
						157339		2					
						159443		28		2			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Page 2

Friday, May 05, 2017 11:18:26 AM

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

D3417-5

Manufactured No

100

Each

98.0000

4

4

D3417-5

Washer

MAY 24 2017 DAS 6 9-89

Location

Loc Qty

Loc Code

ST034

38

156835

38

ST038A

60

158791

60

D3456-1

Manufactured No

100

Each

85.0000

2

2

D3456-1

Washer

MAY 24 2017 DAS 6 9-89

Location

Loc Qty

Loc Code

FG

7

25701

7

ST036

50

159500

50

ST36

28

157166

28

D3672-3

Manufactured No

100

Each

646.0000

48

48

D3672-3

Washer, Phenolic

MAY 24 2017 DAS 6 9-89

Location

Loc Qty

Loc Code

FG

100

133083

52

134449

48

FP001

181

132639

181

ST047

365

153930

365

Friday, May 05, 2017 11:18:26 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition																					
								Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																				
OTHER : ☐																									

Picklist Print

Friday, May 05, 2017 11:18:26 AM

Page 3

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

D3672-7

Manufactured No

100

Each

843.0000

48

48

D3672-7

Washer, Phenolic

MAY 24 2017

DAS

Location

Loc Qty

Loc Code

FG

21

129987

6

133986

15

ST047

322

153039

322

ST051A

500

157442

500

48

D3883-1

Manufactured No

100

Each

7.0000

2

2

D3883-1

Saddle, Outboard LH

MAY 24 2017

DAS

Location

Loc Qty

Loc Code

ST404

7

153045

1

153815

6

2

D3883-2

Manufactured No

100

Each

12.0000

2

2

D3883-2

Saddle, Outside RH

DAS

Location

Loc Qty

Loc Code

ST404

12

157024

4

157414

8

MAY 24 2017

2

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Friday, May 05, 2017 11:18:26 AM

Page 4

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

D3884-1 Manufactured No

100 Each 7.0000 2 2

D3884-1

Saddle, Inside LH

MAY 24 2017 DAS 6 9-89

Location Loc Qty Loc Code

ST404 7

153739 3

157342 4

D3884-2 Manufactured No

100 Each 6.0000 2 2

D3884-2

Saddle, Inside RH

MAY 24 2017 DAS 6 9-89

Location Loc Qty Loc Code

ST404 6

153801 2

158339 4

D3886-041 Manufactured No

100 Each 27.0000 4 4

D3886-041

Lug Assembly

MAY 24 2017 DAS 6 9-89

Location Loc Qty Loc Code

ST228 1

151001 1

ST528 20

153529 12

157602 8

ST532A 6

156995 6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Friday, May 05, 2017 11:18:26 AM

Page 5

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

AN3C46A

Purchased

No

100

Each

59.0000

8

8

AN3C46A

Bolt

Location

Loc Qty

Loc Code

FG

10

122843

10

ST346

49

m136055

15

m136181

34

MAY 24 2017 6 9-89

AN3C50A

Purchased

No

100

Each

296.0000

16

16

AN3C50A

Bolt

Location

Loc Qty

Loc Code

OVER002

152

M137074

152

ST346

144

M136503

144

MAY 24 2017 6 9-89

AN4C6A

Purchased

No

100

Each

268.0000

24

24

AN4C6A

Bolt

Location

Loc Qty

Loc Code

FG

14

103344

4

121657

10

OVER002

150

m137026

100

m137333

50

ST345

104

m136318

104

MAY 24 2017 6 9-89

Friday, May 05, 2017 11:18:27 AM

Shop Packet Print

Page 5

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
☐ OTHER : _____					

Picklist Print

Friday, May 05, 2017 11:18:27 AM

Page 6

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

MS21043-3

Purchased

No

100

Each

524.0000

24

24

MS21043-3

Nut

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

FG

80

103691

80

FP001

176

m130673

11

m136182

165

GA

199

m133990

27

m136182

172

ST304

69

m131340

69

MS21043-4

Purchased

No

100

Each

930.0000

26

26

MS21043-4

Nut

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

FG

40

104603

40

GA

7

m132803

7

ST302

883

m136406

2

m136983

281

m137361

300

m137371

300

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Friday, May 05, 2017 11:18:27 AM

Page 7

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

MS21043-5

Purchased

No

100

Each

187.0000

8

8

MS21043-5

Nut

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

FG

20

101418

20

GA

71

116548

71

ST302

96

m137361

96

MS21250-05048

Purchased

No

100

Each

86.0000

8

8

MS21250-05048

Bolt (use MS21250-05-048)

MAY 24 2017

DAS

6

9-89

Location

Loc Qty

Loc Code

over006

70

m135948

70

ST295

16

m135841

16

Friday, May 05, 2017 11:18:27 AM

Shop Packet Print

Page 7

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Picklist Print

Friday, May 05, 2017 11:18:27 AM

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149C0332R

Purchased

No

100

Each

4,178.000

24

24

NAS1149C0332R

WASHER

DAS

6

MAY 24 2017

Location

Loc Qty

Loc Code

FP001

3086

m136741

46

m137178

40

m137381

3000

GA

518

m133284

22

m136444

496

ST260a

200

m135408

0

m135908

200

m136741

0

ST266

374

m136643

374

24

NAS1149C0432R

Purchased

No

100

Each

902.0000

48

48

NAS1149C0432R

WASHER

MAY 24 2017

DAS

6

Location

Loc Qty

Loc Code

GA

357

m134676

357

ST266

545

m136986

545

48

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :						
Misidentified	☐	Past Due	☐							

Picklist Print

Friday, May 05, 2017 11:18:27 AM

Work Order ID: 157572

157572

Parent Item: D119-796-021

D119-796-021

Parent Item Name: AW119 Standard Landing Gear Assembly - Standard OEM Protection

Start Date: 6/12/2017

Required Date: 6/15/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149C0532R

Purchased

No

100

Each

217.0000

16

16

NAS1149C0532R

WASHER

MAY 24 2017 ^{DAS}
6
9-89

Location

Loc Qty

Loc Code

FP001

84

m135390

8

m136983

76

GA

42

116513

42

ST266

91

m136192

91

139x89x35crate

Purchased

No

100

Each

0.0000

1

1

139x89x35crate

Agusta Crate

MS21920-28

Purchased

No

100

Each

74.0000

2

2

MS21920-28

Clamp

17/06/28 ^{DAS}
36
9-89

Location

Loc Qty

Loc Code

FG

1

105884

1

LG050

55

M136579

5

M137075

25

M137361

25

LG051

1

M132169

1

LG057

2

M134130

2

st543

15

M136740

15

MAY 24 2017 ^{DAS}
6
9-89

DQA: _____ Date: _____


**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

ITEM	QTY -021	P/N	DESCRIPTION
	X	D119-796-021	STD GEAR WITH STD WEARPADS
1	2	D119-646-041	STD SKIDTUBE WITH STD WEARPADS
2	1	D119-796-151	XTUBE ASSY (AW119 MKII FWD)
3	1	D119-796-251	XTUBE ASSY (AW119 MKII AFT)
4	48	D2652	BUSHING
5	2	D3407-041	TOW RING
6	4	D3417-5	WASHER
7	2	D3456-1	WASHER
8	48	D3672-3	PHENOLIC WASHER
9	48	D3672-7	PHENOLIC WASHER
10	2	D3883-1	SADDLE, OUTBOARD LH
11	2	D3883-2	SADDLE, OUTBOARD RH
12	2	D3884-1	SADDLE, INBOARD LH
13	2	D3884-2	SADDLE, INBOARD RH
14	4	D3886-041	LUG ASSEMBLY
15	8	AN3C46A	BOLT
16	16	AN3C50A	BOLT
17	24	AN4C6A	BOLT
18	24	MS21043-3	NUT, SELF-LOCKING
19	26	MS21043-4	NUT, SELF-LOCKING
20	8	MS21043-5	NUT, SELF-LOCKING
21	8	MS21250-05048	BOLT
22	24	NAS1149C0332R	WASHER
23	48	NAS1149C0432R	WASHER
24	16	NAS1149C0532R	WASHER



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED CO.
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 157542 M
MAY 05 2017
MAY 05 2017

RELEASED
2015 MAY 12
A.P. ECHS-570

D119-796-021 STD GEAR WITH STD WEARPADS

NOTES:
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: N/A
4) UNITS: N/A
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: INSTALL D2729-4 RED DECAL IN LOCATION SHOWN
7) WEIGHT: 122.7 LBS

APPROVED	A	NEW ISSUE	AP	15.04.01
	REV.	DESCRIPTION	BY	DATE
	DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. A
	MFG. APPR.	DD	D119-796-021	SHEET 1 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
	DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR OPENED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

MS21250-05048 BOLT
NAS1149C0532R WASHER
D3672-7 WASHER
2 PL
10

D3883-1 SADDLE (LHS)
D3883-2 SADDLE (RHS)

AN3C50A BOLT
D3672-7 WASHER
D2652 BUSHING
4 PL
10

D3884-1 SADDLE (LHS)
D3884-2 SADDLE (RHS)

D3672-7 WASHER
NAS1149C0532R WASHER
MS21043-5 NUT
2 PL
10


D2652 BUSHING
D3672-7 WASHER
NAS1149C0332R WASHER
MS21043-3 NUT
4 PL
10

DETAIL A
4 PL




AN4C6A BOLT
NAS1149C0432R WASHER
D3672-3 WASHER (2)
NAS1149C0432R WASHER
MS21043-4 NUT
6 PL
9

D3883-1 SADDLE (LHS)
D3883-2 SADDLE (RHS)
REF



DETAIL A



RELEASED


2015 MAY 12
A.P. Ew 15-570

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: N/A
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) APPLY A CONTINUOUS BEAD OF SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT IN THE LOCATIONS SHOWN INCLUDING THE FOLLOWING:
 - A) ALONG SADDLE/CROSSTUBE INTERFACE
 - B) BETWEEN THE SADDLE FLANGES
 - C) ALONG SADDLE/SKIDTUBE INTERFACE
- 9) LIGHTLY TIGHTEN ALL BOLTS IN THE NUMERICAL ORDER SPECIFIED ON SHEET 3, THEN TIGHTEN TO SPECIFIED TORQUE IN TABLE 1.
- 10) INSTALL WET WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 11) ALL NUTS TO BE INSTALLED ON THE INBOARD SIDE

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 2 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



SUPPLEMENTAL VIEW - TORQUE SEQUENCE

TABLE 1: TORQUE SEQUENCE AND MAX TORQUE

TORQUE SEQUENCE	PART NUMBER	TORQUE
H1	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H2	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H3	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H4	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H5	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H6	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H7	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H8	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H9	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H10	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H11	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H12	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)

RELEASED

2015 MAY 12
A.R. EW 15-570

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

D

C

B

A

D


C

B

A

D3407-041 TOW RING
D3417-5 WASHER

9



D3417-5 WASHER
D3456-1 WASHER
MS21043-4 NUT

8 9 11

DETAIL C
2 PL




D2652 BUSHING
NAS1149C0332R WASHER
MS21043-3 NUT
2 PL

8 9 10

D3886-041 LUG ASSEMBLY

9



D2652 BUSHING
AN3C46A BOLT
2 PL

8 9 10

DETAIL B
4 PL

RELEASED

2015 MAY 12
A.P. Ecn15-510

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: N/A
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) INSTALL WET WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 9) APPLY FAY SEAL AND FILLET SEAL USING SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 10) TORQUE AN3 HARDWARE TO 20-25 IN-LBS
- 11) TORQUE AN4 HARDWARE TO 50-70 IN-LBS

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D119-796-021	SHEET 4 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STD GEAR WITH STD WEARPADS	NTS
DATE	15.04.01	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1